

# VIVA 2K

# **Product Description**

VIVA 2K is a water proofing system consisting of two components (Acrylic resin & cementitious powder) to be mixed on site. The system can withstand high positive water pressure up to 7 bar. It will adhere to new or old surfaces of concrete, cement plaster, tiles, granite, etc. it is well suited for use in areas with hard climate conditions.

# Features and Benefits

- Easy to apply by roller or brush.
- Waterproofing, nil absorption, salt resistant
- Adhere to new or old surfaces of concrete, tiles, granite, etc.
- Permanent water proofing agent and water pressure resistant.
- Rapid drying (to be mixed in the site).
- Abrasion resistant.
- Weather resistant.

# Typical use

- Roofs, facades.
- Retaining walls.
- Glass reinforced concrete (GRC).
- Swimming pools.
- Water tanks.

## Substrate

Concrete, cement board, tiles, granite, etc.

Product Data

Packaging size	20 kg plastic bags (14.9 kg powder, 5.1 kg resin).
----------------	--

Early absorption, 24 hr. Nil

Colors Grey

**Application data** 

- Roller Recommended
- Brush Recommended

Date of issue: 24.05.2022





### Cleaning of painting tools

Immediate cleaning with water is necessary.

Film Thickness per coat

Dry Film Thickness 1000 micron

**Theoretical spreading rate** 14-15 m<sup>2</sup>/ pack

Thinner (solvent to mix with)

No need for water addition.

Dilution (Mix Ratio)

For manual mixing, VIVA 2K 14.9 kg powder requires 5.1 Kg of resin. Place resin in a container then add the VIVA 2K powder to avoid lump formation.

#### **Conditions during application**

Do not apply if the temperature is below 5°C and not more than 40°C. For ambient air temperature >40°C continuous humidification (spraying water mist) is required before and during application.

Drying and curing time	25 °C	
Surface dry	1 h	
Thorough dry	2 h	

#### Directions of use

Surface preparation

- Ensure that surface is thoroughly cleaned and free from grease, oil, dirt, dust, salts and other containment.
- Surface must be dry and fully cured.

#### Application procedure

- Add the 3 parts cement powder to 1 part resin.
- Mix with either mixer or agitator.
- Apply using brush or roller, ready to be used immediately after mixing on the site.

#### Date of issue: 24.05.2022



#### Recommended paint system

Apply in a Two coats; if the area requires any additional coat, it will be possible and depending on the status of surface

#### Storage

- Store in cool, dry place in a well-sealed container away from moist air for 12 months.
- Keep away from heat, ignition sources and from children.

#### Caution

- Clean mixing container before use.
- Do not exceed dilution ratios .
- Do not use dirty tools.
- Keep out of the reach of children
- This can can't be used for food storage.

#### Health and safety

Possible Hazards: It causes irritation in case of skin contact & eye contact, flush immediately with plenty of water for at least 10 minutes and seek medical advice in case it happened.