### **Technical Data Sheet**



# **Universal QD Enamel**

# **Product Description**

Universal Enamel Gloss is a high-quality alkyd paint, fast drying, yellowing resistant, gives a hard glossy finish. For interior and exterior surfaces.

#### Features and benefits

- Weather resistant.
- Can be used for interior and exterior applications.
- Provides a smooth, durable gloss finish.
- Easy to apply using brush, roll or spray.
- Superior hiding power.
- Long lasting color retention.
- Environmentally friendly, lead free.

#### Typical use

- Can be used on concrete, steel, wooden surfaces.
- For interior and exterior applications.

#### **Substrate**

Carbon steel, wood, concrete.

#### **Product Data**

Packaging size 16 Liter

Glossy Matt/SG/Gloss

**Color** Wide range of colors

Solids by volume  $42 \pm 2\%$ 

**Density** 1.1 g/cm<sup>3</sup>

**VOC** 280 g/l

## **Application data**

The product can be applied by

Spray Recommended

Date of issue:12.08.2017 Page: 1/3



### **Technical Data Sheet**

Roller Recommended

**Brush** Recommended for stripe coating and small areas. Care must be

taken to achieve the specified dry film thickness.

#### Cleaning of painting tools

Once mixing is complete, tools should be cleaned immediately after use with clean thinner.

### Film Thickness per coat

Dry film thickness 120  $\mu$ m - 180  $\mu$ m Theoretical spreading rate 3.5 m²/l - 2.3 m²/l

### Thinner (solvent to mix with)

White spirit or thinner

#### **Dilution (Mix Ratio)**

Maximum 10%.

#### **Conditions during application**

Do not apply if the temperature is below 10°C and not more than 40°C.

Drying and curing time 25 °C Surface (touch) dry 3 hrs. Full Cure 18 hrs.

### **Directions for use**

#### **Surface preparation**

- Ensure that surface is thoroughly cleaned and free from grease, oil, dirt, salt and other containment.
- Surface must be dry.

#### **Recommended Paint System**

#### Number of coats:

Two coats, additional coats might be needed depending on the status of substrate.

Date of issue:12.08.2017 Page: 2/3

## **Technical Data Sheet**



# **Storage**

- Store in cool, dry place in a well-sealed container away from moist air for 12 months.
- Keep away from heat, ignition sources and from children.

### Caution

- Clean mixing container before use. Do not use dirty tools.
- Do not exceed dilution ratios.
- Keep out of the reach of children

## **Health and safety**

Possible Hazards: It causes irritation in case of skin contact & eye contact, flush immediately with plenty of water for at least 10 minutes and seek medical advice in case it happened.

Date of issue:12.08.2017 Page: 3/3