



## Uniguard HB

### Section 1. Identification

**Product name:** Uniguard HB  
**Product description:** Paint  
**Product type:** Liquid  
**Other means of identification:** Not available

**Supplier's details:** Universal Paint Technologies,  
P.O.Box 850302, Amman, Jordan.  
Tel: 00962 6 4884454  
Fax: 00962 6 4884458

### Section 2. Hazards identification

**Classification of the substance or mixture:** The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

**GHS label elements**

**Hazard pictograms:**



**Signal word:** Warning  
**Hazard statements:** H317 – May cause an allergic skin reaction.

**Precautionary statements**

**General:** P102 – Keep out of reach of children.  
**Prevention:** P280 - Wear protective gloves  
**Response:** P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P333 + P313 - If skin irritation or rash occurs: Get medical attention.  
**Storage:** Not applicable.  
**Disposal:** P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.  
**Hazardous ingredients** C(M)IT/MIT (3:1)

**Other hazards which do not result in classification:** None known.

### Section 3. Composition/information on ingredients

**Substance/mixture:** Mixture  
**Other means of identification:** Not available.  
**CAS number/other identifiers**  
**CAS number:** Not applicable.  
**EC number:** Mixture



Ingredient name	%	CAS number
Styrene Acrylic Copolymer	> 40.0 %	25767-47-9
Calcium Carbonate	> 30.0 %	471-34-1
TiO <sub>2</sub>	> 5.0 %	1344-54-3
C(M)IT/MIT (3:1)	< 0.3 %	55965-84-9

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

- Eye contact:** Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
- Inhalation:** Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- Skin contact:** Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
- Ingestion:** If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

- Eye contact:** Symptoms may include pain, tears, swelling, redness and blurred vision.
- Inhalation:** May cause respiratory system irritation.
- Skin contact:** Adverse symptoms may include the following:  
Irritation  
redness
- Ingestion:** May cause nausea, diarrhea and vomiting

#### Over-exposure signs/symptoms

- Eye contact:** No known significant effects or critical hazards.
- Inhalation:** No known significant effects or critical hazards.
- Skin contact:** No known significant effects or critical hazards.
- Ingestion:** No known significant effects or critical hazards.

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.



<b>Specific treatments:</b>	No specific treatment
<b>Protection of first-aiders:</b>	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Firefighting measures

### Extinguishing media

**Suitable extinguishing media:** Recommended: alcohol-resistant foam, CO<sub>2</sub>, powders, water spray.

**Unsuitable extinguishing media:** Do not use water jet.

**Specific hazards arising from the chemical:** Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

**Hazardous thermal decomposition products:** Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

**Special protective actions for fire-fighters:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.

**Special protective equipment for fire-fighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Exclude sources of ignition and ventilate the area. Avoid breathing vapour or mist. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

**For emergency responders:** If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions:** Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods and material for containment and cleaning up** Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal. Preferably clean with a detergent. Avoid using solvents.



## Section 7. Handling and storage

### Precautions for safe handling

#### Protective measures:

Put on appropriate personal protective equipment (see Section 8).

#### Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from heat and food and drink. Keep container tightly closed and sealed until ready for use. Store between 5 and 35 °C in a dry, well ventilated place away from sources of heat, ignition and Direct sunlight. Do not freeze. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep away from sources of ignition. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

No exposure limit value known.

#### Appropriate engineering controls:

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

#### Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection:**

Safety eyewear complying to EN 166 should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

**Skin protection****Hand protection:**

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

Recommended, Protective gloves complying with EN 374.

Nitrile rubber

Break through time: 480 min

Glove thickness: 0.1 - 0.4 mm

**Body protection:**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection:**

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection:**

If workers are exposed to concentrations above the exposure limit, they must use a respirator according to EN 140. In confined spaces, use compressed-air or fresh-air respiratory equipment.

## Section 9. Physical and chemical properties

**Appearance****Physical state:**

Liquid.

**Colour:**

White.

**Odour:**

Characteristic

**Odour threshold:**

Not applicable.

**pH:**

8.0 – 10.0 @ 25°C

**Melting point:**

0

**Boiling point:**

Lowest known value: 100°C (212°F) (water).

**Flash point:**

Not available.

**Evaporation rate:**

Not available.



<b>Flammability (solid, gas):</b>	The product is not flammable.
<b>Lower and upper explosive (flammable) limits:</b>	Not available.
<b>Vapour pressure:</b>	Not available.
<b>Vapour density:</b>	Not available.
<b>Density:</b>	1.30 g/cm <sup>3</sup>
<b>Solubility:</b>	Easily soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water:</b>	Not available
<b>Auto-ignition temperature:</b>	Not applicable.
<b>Decomposition temperature:</b>	Not available.

## Section 10. Stability and reactivity

<b>Reactivity:</b>	No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability:</b>	Stable under recommended storage and handling conditions.
<b>Possibility of hazardous reactions:</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid:</b>	When exposed to high temperatures may produce hazardous decomposition products.
<b>Incompatible materials:</b>	Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
<b>Hazardous decomposition products:</b>	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity:

Product/ingredient name	Result	Species	Dose	Exposure
C(M)IT/MIT (3:1)	LD50 Oral	Rat	53 mg/kg	-

#### Irritation/Corrosion:

No known significant effects or critical hazards.

#### Sensitisation:

Product/ingredient name	Route of exposure	Species	Result
C(M)IT/MIT (3:1)	Skin	Mammal – species unspecified	Sensitising

#### Mutagenicity:

No known significant effects or critical hazards.



## Carcinogenicity:

No known significant effects or critical hazards.

## Reproductive toxicity:

No known significant effects or critical hazards.

## Teratogenicity:

Not available.

## Specific target organ toxicity (single exposure):

Based on available data, the classification criteria are not met.

## Specific target organ toxicity (repeated exposure):

Based on available data, the classification criteria are not met.

## Aspiration hazard:

Based on available data, the classification criteria are not met.

## Other information

None identified.

## Section 12. Ecological information

### Toxicity:

There are no data available on the mixture itself.

Do not allow to enter drains or watercourses.

Product/ingredient name	Result	Species	Exposure
C(M)IT/MIT (3:1)	Acute EC50 0.16 mg/l	Daphnia - Daphnia magna	48 hours
	Acute LC50 0.19 mg/l	Fish - Oncorhynchus	96 hours
	Chronic NOEC 0.1 mg/l	mykiss Daphnia	21 days
	Chronic NOEC 0.05 mg/l	Fish	14 days

### Persistence and degradability:

Not available.

### Bioaccumulative potential:

Not available.

### Mobility in soil:

**Soil/water partition coefficient (K<sub>oc</sub>):** Not available.

**Other adverse effects:** No known significant effects or critical hazards.

## Section 13. Disposal considerations

### Disposal methods:

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.



## Section 14. Transport information

	ADR/RID	ADN	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

### Special precautions for user:

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

## Section 15. Regulatory information

**Safety, health and environmental regulations specific for the product** EU Regulation (EC) No. 1907/2006 (REACH).

### Annex XIV - List of substances subject to authorization Annex XIV

None of the components are listed.

### Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles**

Not applicable.

### Other EU regulations

VOC : Not available.

VOC for Ready-for-Use Mixture : Not applicable.

Europe inventory : Not determined.

### Ozone depleting substances (1005/2009/EU)

Not listed.

### Prior Informed Consent (PIC) (649/2012/EU)

Not listed

### Seveso Directive

This product is not controlled under the Seveso Directive.





## Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed

## Montreal Protocol (Annexes A, B, C, E)

Not listed

## Stockholm Convention on Persistent Organic Pollutants

Not listed.

## Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

## UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

**Chemical safety assessment**

Not applicable.

## Section 16. Other information

### **Abbreviations and acronyms**

ATE = Acute Toxicity Estimate  
CLP = Classification, Labelling and Packaging Regulation  
[Regulation (EC) No. 1272/2008]  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EUH statement = CLP-specific Hazard statement  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration

### **History**

**Date of printing:** 15.05.2022  
**Date of issue/Date of revision:** 11.05.2022  
**Date of previous issue:** NA  
**Version:** 01