



Curbstone Paint SB

Product Description

Curbstone Paint SB is an enamel coating that provides a protection layer for external cement surfaces and curbs, produced to resist weather and available in many colors.

Features and benefits

- Suitable for all asphalt surfaces.
- Very high adhesion power.
- High abrasion resistance.
- Durable.
- Weather resistant.
- Available in many colors

Typical use

- Used as an exterior coating is suitable for use on all types of road surfaces asphalt.
- concrete or brick surfaces.

Substrate

Road surfaces asphalt, brick surfaces, concrete.

Product Data

Packaging size	3.2 Liter
Glossy	Matt
Color	Yellow, white, Black
Solids by volume	51 ± 2%
Density	1.40 g/cm ³
VOC	326 g/l

Application data

The product can be applied by

Spray Recommended

Roller Recommended



Brush Recommended for stripe coating and small areas. Care must be taken to achieve the specified dry film thickness.

Cleaning of painting tools

Once mixing is complete, tools should be cleaned immediately after use with clean thinner.

Film Thickness per coat

Dry film thickness 90 µm - 180 µm

Theoretical spreading rate 5.6 m²/l - 2.8 m²/l

Thinner (solvent to mix with)

White spirit or thinner

Dilution (Mix Ratio)

Maximum 10%.

Conditions during application

Do not apply if the temperature is below 10°C and not more than 40°C.

Drying and curing time 25 °C

Surface (touch) dry 30 – 40 min.

Full Cure 6 hrs.

Directions for use

Surface preparation

- Ensure that surface is thoroughly cleaned and free from grease, oil, dirt, salt and other containment.
- Surface must be dry.

Recommended Paint System

Number of coats:

Two coats, additional coats might be needed depending on the status of substrate.



Storage

- Store in cool, dry place in a well-sealed container away from moist air for 12 months.
- Keep away from heat, ignition sources and from children.

Caution

- Clean mixing container before use. Do not use dirty tools.
- Do not exceed dilution ratios.
- Keep out of the reach of children

Health and safety

Possible Hazards: It causes irritation in case of skin contact & eye contact, flush immediately with plenty of water for at least 10 minutes and seek medical advice in case it happened.